

M/S Metropolitan Security  
Attn: Mr. Hussam Ballout

Friday, January 30, 2026  
REF: 162/26/Q/JA/Metropolitan

**Dell Servers**  
(Excluding Passive and switches)

Line	SKU	DESCRIPTION	QTY	U. PRICE	TOTAL
<b>USSD Signalling</b>			<b>4</b>	<b>\$ 12,244.00</b>	<b>\$ 48,976.00</b>
<b>Components</b>					
1	210-BDZY	PowerEdge R760 Server	1		
2	461-AAIG	Trusted Platform Module 2.0 V6	1		
3	404-BBDS	3.5" Chassis with up to 12 SAS/SATA Drives, LP Adapter PERC 11, 1 or 2 CPU	1		
4	338-CPBY	Intel® Xeon® Silver 4509Y 2.6G, 8C/16T, 16GT/s, 22.5M Cache, Turbo, HT (125W) DDR5-4400	1		
5	338-CPBY, 379-BDCO	Intel® Xeon® Silver 4509Y 2.6G, 8C/16T, 16GT/s, 22.5M Cache, Turbo, HT (125W) DDR5-4400	1		
6	379-BFFD	No HBM	1		
7	412-ABCP	Heatsink for 2 CPU configuration (CPU greater than 165W)	1		
8	370-AAIP	Performance Optimized	1		
9	370-BBRX	5600MT/s RDIMMs	1		
10	370-BBRQ	16GB RDIMM, 5600MT/s, Single Rank	2		
11	780-BCDS	C7, Unconfigured RAID for HDDs or SSDs (Mixed Drive Types Allowed)	1		
12	405-AAYY	PERC H755 Adapter LP	1		
13	400-AXRJ	480GB SSD SATA Read Intensive 6Gbps 512e 2.5in Hot-plug AG Drive, 3.5in HYB CARR, 1 DWPD	4		
14	384-BBBH	Power Saving BIOS Setting	1		
15	800-BBDM	UEFI BIOS Boot Mode with GPT Partition	1		
16	750-ADRE	High Performance Fan x6	1		
17	450-AMHV	Dual, Hot-Plug, Power Supply, 700W MM HLAC (ONLY FOR 200-240Vac) Titanium, Redundant (1+1)	1		
18	450-AADX	Jumper Cord - C13/C14, 0.6M, 250V, 10A (US, EUR)	2		
19	330-BBYK	Riser Config 1, 6x8 FH Slots (Gen4), 2x16 LP Slots (Gen4)	1		
20	329-BKCJ	Motherboard supports ONLY CPUs below 250W (cannot upgrade to CPUs 250W and above), MLK	1		
21	540-BCOB	Broadcom 5720 Quad Port 1GbE BASE-T Adapter, OCP NIC 3.0	1		
22	540-BDKD	Broadcom 5720 Dual Port 1GbE LOM	1		
23	540-BDCZ	Broadcom 57504 Quad Port 10/25GbE SFP28 Adapter, PCIe Full Height	1		
24	470-AEYU	No Cables Required, No GPU Blanks	1		
25	470-AEYU	No DPUs Cable Required, No DPU	1		
26	321-BHMY, 325-BEVI	PowerEdge 2U Standard Bezel	1		
27	403-BCRU, 470-AFMF	BOSS-N1 controller card + with 2 M.2 480GB (RAID 1)	1		
28	407-BCBE	SFP+ SR Optic, 10GbE, for all SFP+ ports except high temp validation warning cards	4		
29	611-BBBF	No Operating System	1		
30	605-BBFN	No Media Required	1		
31	528-CTIC	iDRAC9, Enterprise 16G	1		
32	379-BFXS, 634-CYDF	Dell Connectivity Client - Enabled	1		

**LEBANON**

2nd floor, Dynagraph Building  
Jisr Al-Basha Street, Hazmieh  
P.O. Box 11-1113, Beirut, Lebanon  
T +961 5 428636  
F +961 5 453213

[www.bmbgroup.com](http://www.bmbgroup.com)

LEBANON • EGYPT • KSA • JORDAN • IRAQ

Line	SKU	DESCRIPTION	QTY	U. PRICE	TOTAL
33	634-CZRQ	Dell Secure Onboarding Client Disabled	1		
34	350-BBYX	No Quick Sync	1		
35	379-BDWE	Force Change Password iDRAC9 x4	1		
36	379-BCQY	iDRAC Group Manager, Disabled	1		
37	770-BDZP	ReadyRails Sliding Rails Without Cable Management Arm	1		
38	750-ACOM	Fan Foam, HDD 2U	1		
39	631-AACK	No Systems Documentation, No OpenManage DVD Kit	1		
40	340-DKCG	PowerEdge R760 Shipping EMEA2 (English/Slovenian/Slovakian/Polish/Czech/Hungar/Greek/ Arab)	1		
41	340-DJQY	PowerEdge R760 Shipping Material	1		
42	343-BBUC	PowerEdge R760 CE and CCC Marking, No BIS Marking	1		
43	817-BBBP	Decline Selection	1		
44	709-BBIY	Parts Only Warranty 12Months, 12 Month(s)	1		
45	199-BCXN, 199-BCXO	Partner Support-L3 Support with Advance Parts Replacement, 36 Month(s)	1		
46	883-BBFN	No Field Deployment Customer Install Required	1		
47	293-10049	Order Configuration Shipbox Label (Ship Date, Model, Processor Speed, HDD Size, RAM)	1		
48	293-10025	Asset Tag - ProSupport (Website, barcode, Onboard MacAddress)	1		

Service Builder DB			4	\$ 17,204.00	\$ 68,816.00
<b>Components</b>					
1	210-BDZY	PowerEdge R760 Server	1		
2	461-AAIG	Trusted Platform Module 2.0 V6	1		
3	404-BBDS	3.5" Chassis with up to 12 SAS/SATA Drives, LP Adapter PERC 11, 1 or 2 CPU	1		
4	338-CHTG	Intel® Xeon® Gold 6426Y 2.5G, 16C/32T, 16GT/s, 37.5M Cache, Turbo, HT (185W) DDR5-4800	1		
5	338-CHTG, 379-BDCO	Intel® Xeon® Gold 6426Y 2.5G, 16C/32T, 16GT/s, 37.5M Cache, Turbo, HT (185W) DDR5-4800	1		
6	379-BFFD	No HBM	1		
7	412-ABCP	Heatsink for 2 CPU configuration (CPU greater than 165W)	1		
8	370-AAIP	Performance Optimized	1		
9	370-BBRX	5600MT/s RDIMMs	1		
10	370-BBRQ	16GB RDIMM, 5600MT/s, Single Rank	2		
11	780-BCDP	C4, RAID 5 for 3 or more HDDs or SSDs (Matching Type/Speed/Capacity)	1		
12	405-AAYY	PERC H755 Adapter LP	1		
13	400-AXSE	960GB SSD SATA Read Intensive 6Gbps 512e 2.5in Hot- plug AG Drive, 3.5in HYB CARR, 1 DWPD	4		
14	384-BBBH	Power Saving BIOS Setting	1		
15	800-BBDM	UEFI BIOS Boot Mode with GPT Partition	1		
16	750-ADGJ	Very High Performance Fan x6	1		
17	450-AMEW	Dual, Fault Tolerant Redundant(1+1), Hot-Plug PSU, 1800W MM HLAC(ONLY FOR 200-240Vac) Titanium, C16 Conne	1		
18	450-AMKX	Power Cord PDU(Rack) 250V, 10A, C15/14, 2M	2		

**LEBANON**

2nd floor, Dynagraph Building  
Jisr Al-Basha Street, Hazmieh  
P.O. Box 11-1113, Beirut, Lebanon  
T +961 5 428636  
F +961 5 453213

[www.bmbgroup.com](http://www.bmbgroup.com)

LEBANON • EGYPT • KSA • JORDAN • IRAQ

Line	SKU	DESCRIPTION	QTY	U. PRICE	TOTAL
19	330-BBYF	Riser Config 3, Half Length, 2x8 FH Slots (Gen4), 2x16 FH Slots (Gen5), 2x16 LP Slots (Gen4)	1		
20	329-BKCJ	Motherboard supports ONLY CPUs below 250W (cannot upgrade to CPUs 250W and above), MLK	1		
21	540-BCOB	Broadcom 5720 Quad Port 1GbE BASE-T Adapter, OCP NIC 3.0	1		
22	540-BDOW	LOM Blank	1		
23	540-BDHF	Broadcom 57414 Dual Port 10/25GbE SFP28 Adapter, PCIe Full Height, V2	1		
24	470-AEYU	No Cables Required, No GPU Blanks	1		
25	470-AEYU	No DPUs Cable Required, No DPU	1		
26	321-BHMY, 325-BEVI	PowerEdge 2U Standard Bezel	1		
27	403-BCRU, 470-AFMF	BOSS-N1 controller card + with 2 M.2 480GB (RAID 1)	1		
28	407-BCBE	SFP+ SR Optic, 10GbE, for all SFP+ ports except high temp validation warning cards	2		
29	611-BBBF	No Operating System	1		
30	605-BBFN	No Media Required	1		
31	528-CTIC	iDRAC9, Enterprise 16G	1		
32	379-BFXS, 634-CYDF	Dell Connectivity Client - Enabled	1		
33	634-CZRQ	Dell Secure Onboarding Client Disabled	1		
34	350-BBYX	No Quick Sync	1		
35	379-BETE	iDRAC Force Change Password for OCP cards	1		
36	379-BCQY	iDRAC Group Manager, Disabled	1		
37	770-BDZP	ReadyRails Sliding Rails Without Cable Management Arm	1		
38	750-ACOM	Fan Foam, HDD 2U	1		
39	631-AACK	No Systems Documentation, No OpenManage DVD Kit	1		
40	340-DKCG	PowerEdge R760 Shipping EMEA2 (English/Slovenian/Slovakian/Polish/Czech/Hungar/Greek/Arab)	1		
41	340-DJQY	PowerEdge R760 Shipping Material	1		
42	343-BBSV	PowerEdge R760 CE Marking, No CCC and No BIS Marking	1		
43	817-BBBP	Decline Selection	1		
44	709-BBIY	Parts Only Warranty 12Months, 12 Month(s)	1		
45	199-BCXN, 199-BCXO	Partner Support-L3 Support with Advance Parts Replacement, 36 Month(s)	1		
46	883-BBFN	No Field Deployment Customer Install Required	1		
47	293-10049	Order Configuration Shipbox Label (Ship Date, Model, Processor Speed, HDD Size, RAM)	1		
48	293-10025	Asset Tag - ProSupport (Website, barcode, Onboard MacAddress)	1		

Service Builder			4	\$ 15,526.00	\$ 62,104.00
<b>Components</b>					
1	210-BDZY	PowerEdge R760 Server	1		
2	461-AAIG	Trusted Platform Module 2.0 V6	1		
3	404-BBDS	3.5" Chassis with up to 12 SAS/SATA Drives, LP Adapter PERC 11, 1 or 2 CPU	1		
4	338-CHTG	Intel® Xeon® Gold 6426Y 2.5G, 16C/32T, 16GT/s, 37.5M Cache, Turbo, HT (185W) DDR5-4800	1		
5	338-CHTG, 379-BDCO	Intel® Xeon® Gold 6426Y 2.5G, 16C/32T, 16GT/s, 37.5M Cache, Turbo, HT (185W) DDR5-4800	1		

#### LEBANON

2nd floor, Dynagraph Building  
Jisr Al-Basha Street, Hazmieh  
P.O. Box 11-1113, Beirut, Lebanon  
T +961 5 428636  
F +961 5 453213

[www.bmbgroup.com](http://www.bmbgroup.com)

LEBANON • EGYPT • KSA • JORDAN • IRAQ

Line	SKU	DESCRIPTION	QTY	U. PRICE	TOTAL
6	379-BFFD	No HBM	1		
7		Heatsink for 2 CPU configuration (CPU greater than 165W)	1		
	412-ABCP				
8	370-AAIP	Performance Optimized	1		
9	370-BBRX	5600MT/s RDIMMs	1		
10	370-BBRQ	16GB RDIMM, 5600MT/s, Single Rank	2		
11		C7, Unconfigured RAID for HDDs or SSDs (Mixed Drive Types Allowed)	1		
	780-BCDS				
12	405-AAYY	PERC H755 Adapter LP	1		
13		480GB SSD SATA Read Intensive 6Gbps 512e 2.5in Hot-plug AG Drive, 3.5in HYB CARR, 1 DWPD	4		
	400-AXRJ				
14	384-BBBH	Power Saving BIOS Setting	1		
15	800-BBDM	UEFI BIOS Boot Mode with GPT Partition	1		
16	750-ADGJ	Very High Performance Fan x6	1		
17		Dual, Hot-Plug, FR Power Supply, 1100W MM (100-240Vac) Titanium, Redundant (1+1)	1		
	450-AKKS				
18	450-AADX	Jumper Cord - C13/C14, 0,6M, 250V, 10A (US, EUR)	2		
19		Riser Config 1, 6x8 FH Slots (Gen4), 2x16 LP Slots (Gen4)	1		
	330-BBYK				
20		Motherboard supports ONLY CPUs below 250W (cannot upgrade to CPUs 250W and above), MLK	1		
	329-BKCJ				
21		Broadcom 5720 Quad Port 1GbE BASE-T Adapter, OCP NIC 3.0	1		
	540-BCOB				
22	540-BDKD	Broadcom 5720 Dual Port 1GbE LOM	1		
23		Broadcom 57504 Quad Port 10/25GbE SFP28 Adapter, PCIe Full Height	1		
	540-BDCZ				
24	470-AEYU	No Cables Required, No GPU Blanks	1		
25	470-AEYU	No DPUs Cable Required, No DPU	1		
26	321-BHMY, 325-BEVI	PowerEdge 2U Standard Bezel	1		
27	403-BCRU, 470-AFMF	BOSS-N1 controller card + with 2 M.2 480GB (RAID 1)	1		
28		SFP+ SR Optic, 10GbE, for all SFP+ ports except high temp validation warning cards	2		
	407-BCBE				
29	611-BBBF	No Operating System	1		
30	605-BBFN	No Media Required	1		
31	528-CTIC	iDRAC9, Enterprise 16G	1		
32	379-BFXS, 634-CYDF	Dell Connectivity Client - Enabled	1		
33	634-CZRQ	Dell Secure Onboarding Client Disabled	1		
34	350-BBYX	No Quick Sync	1		
35	379-BDWE	Force Change Password iDRAC9 x4	1		
36	379-BCQY	iDRAC Group Manager, Disabled	1		
37		ReadyRails Sliding Rails Without Cable Management Arm	1		
	770-BDZP				
38	750-ACOM	Fan Foam, HDD 2U	1		
39		No Systems Documentation, No OpenManage DVD Kit	1		
	631-AACK				
40		PowerEdge R760 Shipping EMEA2 (English/Slovenian/Slovakian/Polish/Czech/Hungar/Greek/Arab)	1		
	340-DKCG				
41	340-DJQY	PowerEdge R760 Shipping Material	1		
42		PowerEdge R760 CE and CCC Marking, No BIS Marking	1		
	343-BBUC				
43	817-BBBP	Decline Selection	1		

#### LEBANON

2nd floor, Dynagraph Building  
Jisr Al-Basha Street, Hazmieh  
P.O. Box 11-1113, Beirut, Lebanon  
T +961 5 428636  
F +961 5 453213

[www.bmbgroup.com](http://www.bmbgroup.com)

LEBANON • EGYPT • KSA • JORDAN • IRAQ

Line	SKU	DESCRIPTION	QTY	U. PRICE	TOTAL
44	709-BBIY	Parts Only Warranty 12Months, 12 Month(s)	1		
45		Partner Support-L3 Support with Advance Parts	1		
	199-BCXN, 199-BCXO	Replacement, 36 Month(s)			
46	883-BBFN	No Field Deployment Customer Install Required	1		
47		Order Configuration Shipbox Label (Ship Date, Model,	1		
	293-10049	Processor Speed, HDD Size, RAM)			
48		Asset Tag - ProSupport (Website, barcode, Onboard	1		
	293-10025	MacAddress)			

Reporting			1	\$ 15,988.00	\$ 15,988.00
<b>Components</b>					
1	210-BDZY	PowerEdge R760 Server	1		
2	461-AAIG	Trusted Platform Module 2.0 V6	1		
3		3.5" Chassis with up to 12 SAS/SATA Drives, LP Adapter	1		
	404-BBDS	PERC 11, 1 or 2 CPU			
4		Intel® Xeon® Gold 6426Y 2.5G, 16C/32T, 16GT/s, 37.5M	1		
	338-CHTG	Cache, Turbo, HT (185W) DDR5-4800			
5		Intel® Xeon® Gold 6426Y 2.5G, 16C/32T, 16GT/s, 37.5M	1		
	338-CHTG, 379-BDCO	Cache, Turbo, HT (185W) DDR5-4800			
6	379-BFFD	No HBM	1		
7		Heatsink for 2 CPU configuration (CPU greater than 165W)	1		
	412-ABCP				
8	370-AAIP	Performance Optimized	1		
9	370-BBRX	5600MT/s RDIMMs	1		
10	370-BBRQ	16GB RDIMM, 5600MT/s, Single Rank	2		
11		C4, RAID 5 for 3 or more HDDs or SSDs (Matching	1		
	780-BCDP	Type/Speed/Capacity)			
12	405-AAYY	PERC H755 Adapter LP	1		
13		480GB SSD SATA Read Intensive 6Gbps 512e 2.5in Hot-	4		
	400-AXRJ	plug AG Drive,3.5in HYB CARR, 1 DWPD			
14	384-BBBH	Power Saving BIOS Setting	1		
15	800-BBDM	UEFI BIOS Boot Mode with GPT Partition	1		
16	750-ADGJ	Very High Performance Fan x6	1		
17		Dual,Fault Tolerant Redundant(1+1),Hot-Plug PSU,1800W	1		
		MM HLAC(ONLY FOR 200-240Vac)Titanium,C16 Conne			
	450-AMEW				
18	450-AMKX	Power Cord PDU(Rack) 250V,10A,C15/14, 2M	2		
19		Riser Config 3, Half Length, 2x8 FH Slots (Gen4), 2x16 FH	1		
	330-BBYF	Slots (Gen5), 2x16 LP Slots (Gen4)			
20		Motherboard supports ONLY CPUs below 250W (cannot	1		
	329-BKCJ	upgrade to CPUs 250W and above), MLK			
21		Broadcom 5720 Quad Port 1GbE BASE-T Adapter, OCP NIC	1		
	540-BCOB	3.0			
22	540-BDOW	LOM Blank	1		
23		Broadcom 57414 Dual Port 10/25GbE SFP28 Adapter, PCIe	1		
	540-BDHF	Full Height, V2			
24	470-AEYU	No Cables Required, No GPU Blanks	1		
25	470-AEYU	No DPUs Cable Required, No DPU	1		
26	321-BHMY, 325-BEVI	PowerEdge 2U Standard Bezel	1		
27	403-BCRU, 470-AFMF	BOSS-N1 controller card + with 2 M.2 480GB (RAID 1)	1		
28		SFP+ SR Optic, 10GbE, for all SFP+ ports except high temp	2		
	407-BCBE	validation warning cards			

#### LEBANON

2nd floor, Dynagraph Building  
Jisr Al-Basha Street, Hazmieh  
P.O. Box 11-1113, Beirut, Lebanon  
T +961 5 428636  
F +961 5 453213

[www.bmbgroup.com](http://www.bmbgroup.com)

LEBANON • EGYPT • KSA • JORDAN • IRAQ

Line	SKU	DESCRIPTION	QTY	U. PRICE	TOTAL
29	611-BBBF	No Operating System	1		
30	605-BBFN	No Media Required	1		
31	528-CTIC	iDRAC9, Enterprise 16G	1		
32	379-BFXS, 634-CYDF	Dell Connectivity Client - Enabled	1		
33	634-CZRQ	Dell Secure Onboarding Client Disabled	1		
34	350-BBYX	No Quick Sync	1		
35	379-BETE	iDRAC Force Change Password for OCP cards	1		
36	379-BCQY	iDRAC Group Manager, Disabled	1		
37		ReadyRails Sliding Rails Without Cable Management Arm	1		
	770-BDZP				
38	750-ACOM	Fan Foam, HDD 2U	1		
39		No Systems Documentation, No OpenManage DVD Kit	1		
	631-AACK				
40		PowerEdge R760 Shipping EMEA2 (English/Slovenian/Slovakian/Polish/Czech/Hungar/Greek/ Arab)	1		
	340-DKCG				
41	340-DJQY	PowerEdge R760 Shipping Material	1		
42		PowerEdge R760 CE Marking, No CCC and No BIS Marking	1		
	343-BBSV				
43	817-BBBP	Decline Selection	1		
44	709-BBIY	Parts Only Warranty 12Months, 12 Month(s)	1		
45		Partner Support-L3 Support with Advance Parts	1		
	199-BCXN, 199-BCXO	Replacement, 36 Month(s)			
46	883-BBFN	No Field Deployment Customer Install Required	1		
47		Order Configuration Shipbox Label (Ship Date, Model, Processor Speed, HDD Size, RAM)	1		
	293-10049				
48		Asset Tag - ProSupport (Website, barcode, Onboard MacAddress)	1		
	293-10025				

Dashboard			1	\$ 20,108.00	\$ 20,108.00
Components					
1	210-BDZY	PowerEdge R760 Server	1		
2	461-AAIG	Trusted Platform Module 2.0 V6	1		
3	404-BBDS	3.5" Chassis with up to 12 SAS/SATA Drives, LP Adapter PERC 11, 1 or 2 CPU	1		
4	338-CHTG	Intel® Xeon® Gold 6426Y 2.5G, 16C/32T, 16GT/s, 37.5M Cache, Turbo, HT (185W) DDR5-4800	1		
5	338-CHTG, 379-BDCO	Intel® Xeon® Gold 6426Y 2.5G, 16C/32T, 16GT/s, 37.5M Cache, Turbo, HT (185W) DDR5-4800	1		
6	379-BFFD	No HBM	1		
7	412-ABCP	Heatsink for 2 CPU configuration (CPU greater than 165W)	1		
8	370-AAIP	Performance Optimized	1		
9	370-BBRX	5600MT/s RDIMMs	1		
10	370-BBRY	32GB RDIMM, 5600MT/s, Dual Rank	2		
11	780-BCDP	C4, RAID 5 for 3 or more HDDs or SSDs (Matching Type/Speed/Capacity)	1		
12	405-AAYY	PERC H755 Adapter LP	1		
13	400-AXRK	1.92TB SSD SATA Read Intensive 6Gbps 512e 2.5in Hot- plug AG Drive, 3.5in HYB CARR, 1 DWPD	4		
14	384-BBBH	Power Saving BIOS Setting	1		
15	800-BBDM	UEFI BIOS Boot Mode with GPT Partition	1		
16	750-ADGJ	Very High Performance Fan x6	1		

#### LEBANON

2nd floor, Dynagraph Building  
Jisr Al-Basha Street, Hazmieh  
P.O. Box 11-1113, Beirut, Lebanon

T +961 5 428636

F +961 5 453213

[www.bmbgroup.com](http://www.bmbgroup.com)

LEBANON • EGYPT • KSA • JORDAN • IRAQ

Line	SKU	DESCRIPTION	QTY	U. PRICE	TOTAL
17	450-AMEW	Dual,Fault Tolerant Redundant(1+1),Hot-Plug PSU,1800W MM HLAC(ONLY FOR 200-240Vac)Titanium,C16 Conne	1		
18	450-AMKX	Power Cord PDU(Rack) 250V,10A,C15/14, 2M	2		
19	330-BBYF	Riser Config 3, Half Length, 2x8 FH Slots (Gen4), 2x16 FH Slots (Gen5), 2x16 LP Slots (Gen4)	1		
20	329-BKCJ	Motherboard supports ONLY CPUs below 250W (cannot upgrade to CPUs 250W and above), MLK	1		
21	540-BCOB	Broadcom 5720 Quad Port 1GbE BASE-T Adapter, OCP NIC 3.0	1		
22	540-BDOW	LOM Blank	1		
23	540-BDHF	Broadcom 57414 Dual Port 10/25GbE SFP28 Adapter, PCIe Full Height, V2	1		
24	470-AEYU	No Cables Required, No GPU Blanks	1		
25	470-AEYU	No DPUs Cable Required, No DPU	1		
26	321-BHMY, 325-BEVI	PowerEdge 2U Standard Bezel	1		
27	403-BCRU, 470-AFMF	BOSS-N1 controller card + with 2 M.2 480GB (RAID 1)	1		
28	407-BCBE	SFP+ SR Optic, 10GbE, for all SFP+ ports except high temp validation warning cards	2		
29	611-BBBF	No Operating System	1		
30	605-BBFN	No Media Required	1		
31	528-CTIC	iDRAC9, Enterprise 16G	1		
32	379-BFXS, 634-CYDF	Dell Connectivity Client - Enabled	1		
33	634-CZRQ	Dell Secure Onboarding Client Disabled	1		
34	350-BBYX	No Quick Sync	1		
35	379-BETE	iDRAC Force Change Password for OCP cards	1		
36	379-BCQY	iDRAC Group Manager, Disabled	1		
37	770-BDZP	ReadyRails Sliding Rails Without Cable Management Arm	1		
38	750-ACOM	Fan Foam, HDD 2U	1		
39	631-AACK	No Systems Documentation, No OpenManage DVD Kit	1		
40	340-DKCG	PowerEdge R760 Shipping EMEA2 (English/Slovenian/Slovakian/Polish/Czech/Hungar/Greek/ Arab)	1		
41	340-DJQY	PowerEdge R760 Shipping Material	1		
42	343-BBSV	PowerEdge R760 CE Marking, No CCC and No BIS Marking	1		
43	817-BBBP	Decline Selection	1		
44	709-BBIY	Parts Only Warranty 12Months, 12 Month(s)	1		
45	199-BCXN, 199-BCXO	Partner Support-L3 Support with Advance Parts Replacement, 36 Month(s)	1		
46	883-BBFN	No Field Deployment Customer Install Required	1		
47	293-10049	Order Configuration Shipbox Label (Ship Date, Model, Processor Speed, HDD Size, RAM)	1		
48	293-10025	Asset Tag - ProSupport (Website, barcode, Onboard MacAddress)	1		

Test bed			1	\$ 11,025.00	\$ 11,025.00
<b>Components</b>					
1	210-BDZY	PowerEdge R760 Server	1		
2	461-AAIG	Trusted Platform Module 2.0 V6	1		
3	404-BBDS	3.5" Chassis with up to 12 SAS/SATA Drives, LP Adapter PERC 11, 1 or 2 CPU	1		

#### LEBANON

2nd floor, Dynagraph Building  
Jisr Al-Basha Street, Hazmieh  
P.O. Box 11-1113, Beirut, Lebanon  
T +961 5 428636  
F +961 5 453213

[www.bmbgroup.com](http://www.bmbgroup.com)

LEBANON • EGYPT • KSA • JORDAN • IRAQ

Line	SKU	DESCRIPTION	QTY	U. PRICE	TOTAL
4	338-CPBY	Intel® Xeon® Silver 4509Y 2.6G, 8C/16T, 16GT/s, 22.5M Cache, Turbo, HT (125W) DDR5-4400	1		
5	374-BBBX	No Additional Processor	1		
6	379-BFFD	No HBM	1		
7	412-ABCR	Heatsink for 1 CPU configuration (CPU greater than 165W)	1		
8	370-AAIP	Performance Optimized	1		
9	370-BBRX	5600MT/s RDIMMs	1		
10	370-BBRQ	16GB RDIMM, 5600MT/s, Single Rank	1		
11	780-BCDS	C7, Unconfigured RAID for HDDs or SSDs (Mixed Drive Types Allowed)	1		
12	405-AAYY	PERC H755 Adapter LP	1		
13	400-AXRJ	480GB SSD SATA Read Intensive 6Gbps 512e 2.5in Hot-plug AG Drive, 3.5in HYB CARR, 1 DWPD	4		
14	384-BBBH	Power Saving BIOS Setting	1		
15	800-BBDM	UEFI BIOS Boot Mode with GPT Partition	1		
16	750-ADRE	High Performance Fan x6	1		
17	450-AMHV	Dual, Hot-Plug, Power Supply, 700W MM HLAC (ONLY FOR 200-240Vac) Titanium, Redundant (1+1)	1		
18	450-AADX	Jumper Cord - C13/C14, 0.6M, 250V, 10A (US, EUR)	2		
19	330-BBYD	Riser Config 8, 2x8 FH Slots (Gen4), 1x16 LP Slot (Gen4)	1		
20	329-BKCJ	Motherboard supports ONLY CPUs below 250W (cannot upgrade to CPUs 250W and above), MLK	1		
21	540-BCOC	Broadcom 57414 Dual Port 10/25GbE SFP28, OCP NIC 3.0	1		
22	540-BDKD	Broadcom 5720 Dual Port 1GbE LOM	1		
23	540-BDCZ	Broadcom 57504 Quad Port 10/25GbE SFP28 Adapter, PCIe Full Height	1		
24	470-AEYU	No Cables Required, No GPU Blanks	1		
25	470-AEYU	No DPUs Cable Required, No DPU	1		
26	321-BHMY, 325-BEVI	PowerEdge 2U Standard Bezel	1		
27	403-BCRU, 470-AFMF	BOSS-N1 controller card + with 2 M.2 480GB (RAID 1)	1		
28	407-BCBE	SFP+ SR Optic, 10GbE, for all SFP+ ports except high temp validation warning cards	2		
29	611-BBBF	No Operating System	1		
30	605-BBFN	No Media Required	1		
31	528-CTIC	iDRAC9, Enterprise 16G	1		
32	379-BFXS, 634-CYDF	Dell Connectivity Client - Enabled	1		
33	634-CZRQ	Dell Secure Onboarding Client Disabled	1		
34	350-BBYX	No Quick Sync	1		
35	379-BDWE	Force Change Password iDRAC9 x4	1		
36	379-BCQY	iDRAC Group Manager, Disabled	1		
37	770-BDZP	ReadyRails Sliding Rails Without Cable Management Arm	1		
38	750-ACOM	Fan Foam, HDD 2U	1		
39	631-AACK	No Systems Documentation, No OpenManage DVD Kit	1		
40	340-DKCG	PowerEdge R760 Shipping EMEA2 (English/Slovenian/Slovakian/Polish/Czech/Hungar/Greek/Arab)	1		
41	340-DJQY	PowerEdge R760 Shipping Material	1		
42	343-BBUC	PowerEdge R760 CE and CCC Marking, No BIS Marking	1		
43	817-BBBP	Decline Selection	1		

#### LEBANON

2nd floor, Dynagraph Building  
Jisr Al-Basha Street, Hazmieh  
P.O. Box 11-1113, Beirut, Lebanon  
T +961 5 428636  
F +961 5 453213

[www.bmbgroup.com](http://www.bmbgroup.com)

LEBANON • EGYPT • KSA • JORDAN • IRAQ

Line	SKU	DESCRIPTION	QTY	U. PRICE	TOTAL
44	709-BBIY	Parts Only Warranty 12Months, 12 Month(s)	1		
45	199-BCXN, 199-BCXO	Partner Support-L3 Support with Advance Parts Replacement, 36 Month(s)	1		
46	883-BBFN	No Field Deployment Customer Install Required	1		
47	293-10049	Order Configuration Shipbox Label (Ship Date, Model, Processor Speed, HDD Size, RAM)	1		
48	293-10025	Asset Tag - ProSupport (Website, barcode, Onboard MacAddress)	1		

<b>Red Hat fro 3 years</b>			<b>15</b>	<b>\$ 2,706.00</b>	<b>\$ 40,590.00</b>
<b>Components</b>					
1	RH00004	Red Hat Enterprise Linux Server, Standard (Physical or Virtual Nodes)	15		

<b>PROFESSIONAL SERVICES</b>			<b>1</b>	<b>\$ 5,498.00</b>	<b>\$ 5,498.00</b>
<b>Logistics</b>					
1	LOGISTICS	Freight, customs and clearance	1	\$ 1,648.00	\$ 1,648.00
<b>BMB Installation Charges</b>					
2	BMB- ADV-INST	Installation, Configuration, and activation of the system including technical support for a period of one (1) year	1	\$ 3,850.00	\$ 3,850.00

#### SUMMARY

<b>TOTAL - DELL EQUIPMENT</b>	<b>\$ 267,607.00</b>
<b>TOTAL - PROFESSIONAL SERVICES</b>	<b>\$ 5,498.00</b>
<b>NET TOTAL</b>	<b>\$ 273,105.00</b>
VAT	\$ 30,041.55
<b>GRAND TOTAL</b>	<b>\$ 303,146.55</b>

#### TERMS AND CONDITIONS

**Validity:** This offer is valid for a period of **one (1) month**.

**Warranty:** Items are covered by a standard warranty, directly from Vendor, for a period of three (3) years.

**Payment:**

- 50% in advance
- 50% upon delivery

**Delivery:** Items will be available within 8 - 10 weeks from date of order.

Service rendered under this agreement excludes parts required because of damage caused by accident, neglect, misuse, unfavorable environmental conditions, alteration in equipment, electrical current fluctuations, work performed by other than a representative from BMB or any force of nature

#### **LEBANON**

2nd floor, Dynagraph Building  
Jisr Al-Basha Street, Hazmieh  
P.O. Box 11-1113, Beirut, Lebanon  
T +961 5 428636  
F +961 5 453213  
[www.bmbgroup.com](http://www.bmbgroup.com)